



Federal Service for Surveillance on Consumer Rights Protection and Human Wellbeing
Federal Budgetary Health Care Institution
«Center of Hygiene and Epidemiology in the Krasnoyarsk Region»
LABORATORY TESTING CENTER

License by Federal Service for the Supervision of Healthcare November 19th, 2020 № FS-24-01-001456

Details: OKPO 76733231 PSRN 1052463018475 TIN/IEC 2463070760/246301001

Registered office: Russia, 660100, Krasnoyarsk, 38 Sopochnaya Street,
Business address of the laboratory:

660100, RUSSIA, Krasnoyarsk region, Krasnoyarsk, 38 Sopochnaya Street

660100, RUSSIA, Krasnoyarsk region, Krasnoyarsk, 38/2 Sopochnaya Street

660004, RUSSIA Krasnoyarsk region, Krasnoyarsk, 29 26 Bakinskikh Komissarov Street

Tel. (391) 202-58-33, 202-58-36

Fax (391) 243-18-47

<http://fbuz24.ru>

fbuz@24.rospotrebnadzor.ru

RESULT of LABORATORY TESTS № 171468 September 1st, 2020

1. Claimant's name: Ivanov Ivan Date of Birth August 21st, 1993. 27 years old.

2. Address (registered, place of living): Krasnoyarsk region, Krasnoyarsk, 1 Marksa Street, apt. 10

3. Specimen name (probe): pharyngeal and nasal swab

4. Place of sampling: Outpatiently, Krasnoyarsk

5. Conditions and delivery of specimen:

Time and date: Augusts 31st, 2020 08:00 a.m.

Delivery conditions: according to regulatory documentation

Time and date of delivery to LTS: Augusts 31st, 2020 01:00 p.m.

6. Additional information: Clinical purpose: Diagnostic testing, contract


7. Regulatory Documentation for research method:

MR 3.1.0169-20 "Laboratory diagnosis COVID-19"

8. Specimen code (probe): 02.20.171468

№ № п/п	Determinable indicators	Measurement units	Research results	Values of accepted level	Regulatory Documentation for research method
DNA Testing Specimen received 31.08.2020 13:00 Registered number of specimen in research book 171468 Test start date Augusts 31 st , 2020 01:00 p.m. result release date September 1 st , 2020 12:34 p.m.					
1	RNA of Covid SARS-CoV-2	-	Positive/Negative	absence	Instruction for use of panel "RealBest RNA SARS-CoV-2"

Authorised person to give the result (position held, full name):



Melinger R. A. Common Hygiene Physician

